

**CHECKLIST FOR DOCUMENTS INTENDING TO USE
COMBINED ILAC MRA MARK**

Instructions:

Please complete this checklist and submit to Department of Standards Malaysia together with 1 original copy of sample(s) for intending use of the Combined ILAC MRA Mark.

CAB's name: _____
Accreditation No: _____
File ref. no: _____
Address: _____

Please tick as appropriate:

No	Item(s)	Document(s) intending to use Combined ILAC MRA Mark (√)	Remark
1.	Reports (e.g. Test/Inspection/PT)		
2.	Certificates (e.g.: Calibration/Inspection)		
3.	Labels (e.g.: Calibration/Inspection)		
4.	Letterhead		
5.	Quotations for work		
6.	Advertisements		
7.	Websites		
8.	Fax Cover		
9.	Brochure		
10.	Envelope		
11.	Publications		
12.	Company logo/signboard		
13.	Business Card		
14.	Others (please specify) _____		
15.	Others (please specify) _____		

The Organisation/Conformity Assessment Bodies (CABs) hereby undertakes:

1. To comply with terms and conditions as specified in AP1.
2. To use the Combined ILAC MRA Mark according to the example shown under Figure 6 of the AP1 using the same proportions.
3. To only use Combined ILAC MRA Mark once a written approval is received from Standards Malaysia.
4. To reproduce ILAC MRA Mark in black and white or in approved colours as illustrated in ILAC-R7.
5. To use the Combined ILAC MRA Mark in manner that will NOT impede its readability.

Confirmation by CABs's authorised representative:

Signature: _____ Date: _____
Name: _____ Tel. No.: _____ E-mail: _____

[Please submit your application to Standards Malaysia, attention to: Ms. Siti Raikhan Aina Bogal,
Tel: 03-8008 2799, e-mail: aina@jsm.gov.my]